Claims

3.

RNA vectors.

30

| | 1. | Nucleic acid molecule, selected from the group consisting of |
|-----|---------------------------------------|--|
| 5 | ·. | a) nucleic acid molecules encoding the polypeptide disclosed by SEQ II NO: 2; |
| | | b) nucleic acid molecules containing the sequence depicted by SEQ II |
| • • | ٠. | NO: 1; |
| 10 | | c) nucleic acid molecules whose complementary strand hybridizes under stringent conditions with a nucleic acid molecule of a) or b) and which have the biological function of a fluorescent protein; |
| 15 | | d) nucleic acid molecules which differ from those mentioned under of due to the degeneracy of the genetic code; |
| 20 | · · · · · · · · · · · · · · · · · · · | e) nucleic acid molecules whose sequences are at least 95% homologou to SEQ ID NO: 1 and which have the biological function of fluorescent protein; and |
| | | f) nucleic acid molecules whose sequences are at least 65% homologou to SEQ ID NO: 1 and which have the biological function of fluorescent protein. |
| | 2. | Molecules according to Claim 1, whose sequence contains a functional promoter 5' of the sequence. |

Molecules according to Claim 2, which are a part of recombinant DNA or of

- 4. Organisms, which contain a vector described according to Claim 3.
- 5. Oligonucleotides, having more than 10 contiguous nucleotides which are identical or complementary to DNA or RNA sequences according to Claim 1.
 - 6. Peptides, which are encoded by the nucleotide sequence according to Claim 1.
- 7. Method of expressing the CGFP polypeptide according to Claim 6 in bacteria, 10 eukaryotic cells or in *in vitro* expression systems.
 - 8. Method of purifying/isolating a CGFP polypeptide according to Claim 6.
- 9. Peptides, having more than 5 contiguous amino acids which are recognized immunologically by antibodies to the fluorescent protein CGFP.
 - 10. Use of the fluorescent protein CGFP according to Claims 1 to 7 as a marker gene and reporter gene.